

GOVERNMENT OF TELANGANA

ABSTRACT

Public Services – RWS&S Department – Allegations of irregularities in the execution of CPWS schemes to Jagitial and Raikal Mandals in Karimnagar district - Disciplinary proceedings initiated against Sri J. Hari Babu, the then Superintending Engineer, RWS&S, Karimnagar – Enquiry conducted - Further action dropped – Orders – Issued

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No. 680

Dated: 14-09-2018

Read the following:-

1. From the Chief Engineer, V&QC, RWS&S, Hyderabad Lr.No.AE1/DEE (V&QC)/Irregularities in Jagityal & Raikal/KRMN/14-15, dt. 28.11.2014.
2. G.O.Rt.No.301, PR&RD (Vig.I) Dept., dt. 14.05.2015.
3. From the ENC, RWS&S, Hyderabad Lr.No.Vig.(I)/RWS&S/KRMN/94/2014, dt. 11.08.2015.
4. G.O.Rt.No. 86, PR&RD (Vig.I) Dept., dt. 01.02.2016.
5. G.O.Rt.No. 87, PR&RD (Vig.I) Dept., dt. 01.02.2016.
6. G.O.Rt.No. 217, PR&RD (Vig.I) Dept., dt. 15.03.2016.
7. From the CE, TDWSP.III, RWS&S, Hyderabad, Lr.No.AEE-I/DEE-I/014/ Jgtl.Rkl-KMR/RWS&S/94/KRMN/ 2016, dt. 22.09.2017

ORDER:

In the references 2nd read above, disciplinary action has been initiated by framing charge against Sri J.Hari Babu, the then Superintending Engineer, RWS&S, Karimnagar District along with others under Rule 20 of A.P Civil Services (CC&A) Rules, 1991, on the allegations of irregularities in the execution of CPWS schemes to Jagitial and Raikal Mandals in Karimnagar district.

2. The charged officer has not submitted his Written Statement of Defence, but has acknowledged the charge memo vide reference 3rd read above.

3. After examination, orders were issued appointing the Engineer-in-Chief, RWS&S, Hyderabad as Enquiry Officer, under Rule 20 (2) of A.P Civil Services (Classification, Control and Appeal) Rules, 1991, to conduct common inquiry into the charges framed against all the charged officers on the said allegations. The Chief Engineer, V&QC, RWS&S, Hyderabad was also appointed therein as Presenting Officer, to present the case before the Enquiry Officer, under Rule 20 (5) (c) of A.P Civil Services (Classification, Control & Appeal) Rules, 1991, on behalf of the disciplinary authority vide reference 5th read above. Subsequently, modification orders were issued changing i/c Chief Engineer, TDWSP, RWS&S, Hyderabad as Enquiry Officer in place of Engineer-in-Chief, RWS&S, Hyderabad and Presenting Officer as Superintending Engineer, V&QC, RWS&S, Hyderabad in place of Chief Engineer, V&QC, RWS&S, Hyderabad, under Rule 20 (5) © of A.P. Civil Services (CC&A) Rules, 1991 vide reference 6th read above.

4. The Enquiry Officer has submitted his Enquiry Report vide reference 7th read above. The Enquiry Officer in his conclusion has held that the charges against Sri J.Hari Babu, the then Superintending Engineer, RWS&S, Karimnagar District are not proved.

5. Government, after careful examination of the matter, have decided to drop further action and accordingly hereby drop further action against Sri J.Hari Babu, the then Superintending Engineer, RWS&S, Karimnagar District on the allegations of irregularities in the execution of CPWS schemes to Jagitial and Raikal Mandals in Karimnagar district.

6. The Engineer-in-Chief, RWS&S, Hyderabad, shall take further action in the matter, accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

SMITA SABHARWAL
SECRETARY TO GOVERNMENT (RWS) (FAC)

To

Sri J.Hari Babu, the then Superintending Engineer, RWS&S,
Karimnagar District through the Engineer-in-Chief, RWS&S, Hyderabad.

The Engineer-in-Chief, RWS&S, Hyderabad.

SF/SC

//FORWARDED ::BY ORDER//

SECTION OFFICER